Agriculturel Department SHORT TENDER NOTICE

No. AE (4)680/2006.

7th May 2007.

Sealed tenders are invited for supplying and installing the following machinary and equipments for fruit processing unit at Orange and Vegetable Farm, Nelliampathy. The tender should be superscribed "Tender for the supply and installation of machinary and equipments for fruit processing unit at Orange and Vegetable Farm, Nelliampathy" and addressed to Assistant Executive Engineer (Agri.), Malampuzha. Last date of receipt of tender is at 3 p.m. on 13-6-2007. Late tenders will not be accepted. Tenders will be opened at 3.30 p.m. on 13-6-2007 in the presence of such of the tenderers or their authorised representatives present at that time.

Tender forms can be obtained from Assistant Executive Engineer (Agri.), Malampuzha on payment of Rs. 700+S.T. in cash. Cost of tender form is not refundable. The tender forms are not transferable. Sale of tender form will be closed at 1 p.m. on 13-6-2007 A Preliminary agreement in the form given in tender form is to be executed in Kerala stamp paper of value Rs. 50. An earnest money deposit at one percent of the cost of items tendered shall accompany with the tender. Further details if required can be had from the office of the undersigned during working hours.

SI No		Quantity
(1)	(2)	(3)
1	Orange. Electric motor with 5 HP 1440 RPM. 3 phase (Heavy type) all contact parts are fabricated with high quality non-corrosive SS 304, 316, 202 etc. 2 nylon brushes with 2 Rods of SS 304 and suitable provision for motor enclosure.	l No.
2	Filler proof (FP) hand operated semi-automatic 3 rollars, cap scaling machine	1 ,,
3	Electronic balance (Laboratory type) with High sensitivity (0.001 gm—220 gm)	1
4	Stainless steel containers 200 litres	5 Nos.
5	SS containers 50 Lts. capacity	8 ,,
	Refractometer (0-30, 30-60 & 60-85) with Leather case	1 No.
7	Working table of size (120 x 90) GM fabricated with SS	4 Nos.
	Steam jacketted kettle of capacity 75 lts. Tiltingtype fabricated with SS 304, 3mm, sheet with safety valves, pressure gauges etc.	3 ,,

	(1)	(2)		(3)
	9	Citrus fruit juicer with 2 heads fitted with 0.5 HP electric motor and fabricated with SS PH meter (Laboratory type)	1	No
1	11		1	18.
	12	Halving machine suitable for orange filled with I Hp x 2 Electric motor and all contact parts are with SS	1	19
	13	Hydraulic press 25T capacity with channel Frame 6 x 3	- 1	2)
	14	SS hollow and punches for outside cutting suitable for 301 and No. 1 tall	1	**
	15	SS hollow and punches for outside cutting suitable for 307 dia A 2 size	1	91
	16	SS hollow hand punches for outside cutting suitable for 401 dia A 2 1/2 size	1	**
	17	Hand core punches 1/8 " dia	1	13
	18	Stirrer fitted with 0.25 HP electrical motor (Portable type)	1	22

നെല്ലിയാമ്പതി ഓറഞ്ച് ആൻാ് വെജിററബിറാ ഫാമിലെ വഴസംസ്കരണ ശാലയിലേക്ക് താഴെ പായുന്ന സാമൃഗികറം വിതരണം ചെയ്ത് ഉറപ്പിക്കുന്ന തിനുവേണ്ടി മുദ്രവച്ചടെടെറുകരം കേരള ഗവരണ്ണർക്കു വേണ്ടി മലമ്പുഴ അസിസ്റാൻറ് എക്സി കുൂട്ടീവ് ഏൻജിനിയർ (കൂഷി) ക്ഷണിച്ചുകൊള്ളുന്നു.

രടണ്ടർ ഫോറങ്ങാം ഈ ആഫീസിൽ നിന്നും എല്ലാ പ്രവർത്തി ദിവസങ്ങളിലും രാവിലെ 10 മണി മുതൽ വൈകുന്നേരം 5 മണിവരെ രേഖാമുലമായ അപേക്ഷ തിർമേൽ വില സ്വീകരിച്ച് നൽകുന്നതാണ്. ടെണ്ടർ ഫോദത്തിൻെ വില 700 രൂപ + വിൽപ്പന നികുതി പുറമെ, 13-6-2007 ഉച്ചയ്ക്ക് | മണിക്ക് ടെണ്ടർഫാറം വിൽപ്പന അവസാനിപ്പിക്കുന്നതായിരിക്കും. ടെണ്ടർ ഫാരത്തിൻെ വില യാതൊരു കാരണവശാലും തിരികെ നൽകുന്നതല്ല. ടെണ്ടർ മുഴുവനായോ ഭാഗികമായോ യാതൊരു കാരണവും കാണിക്കാതെ തിരസ്കരിക്കുന്നതിനോ അസിസ്റാൻറ് എക്"സികുട്ടിവ് എഞ്ജിനിയർ (കുമ്പി) അധികാര മുത്തെറികുന്നതാണ്.

യാനാ ടെണ്ടറിനോടൊപ്പം മാത്തം ടെണ്ട് തുകയുടെ 1%-ത്തിൽ കുറയാത്ത സംഖ്യയ്ക്കുള്ള നിരതമ്പ്യം 50 രൂപ മുഖവിലയുള്ള മുമ്ര്യേഗ്രത്തിൽ പ്രാഥമിക ഉടമ്പടിയും ടെണ്ടറിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. ടെണ്ടർ സ്വീകരിക്കുന്ന അവസാന തീയതി 13-6-2007 വൈകുന്നേരം 3 30-ന് അപ്പോരം തണ്ടുകരം 13-6-2007 വൈകുന്നേരം 3 30-ന് അപ്പോരം സന്നിഹിതരായിട്ടുള്ള ടെണ്ടർകാരുടെയോ അവർ അധികാരപ്പെടുത്തിയിട്ടുള്ള വ്യക്തിയുടെയോ സാന്നി ഒ'ധ്യത്തിൽ' തുറക്കുന്നതായിരിക്കും, അന്നേദിവസം ആത്തിലും കാരണവശാൽ അവധിയായാൽ തൊട്ടടുത്ത മിവസം ടെണ്ടുകരം തുറക്കുന്നതായിരിക്കും, മടണ്ടറുകരം നൽകുന്ന കവാിനുപുറത്ത് ടെണ്ടറിന്റെ നമ്പരും പേരും ചൈപ്പെടുത്തേണ്ടതാണ്, ഈ ആഫീസിൽ നിന്നും ഉത്തവെ കട്ടി നിശ്ചാത ഭിവസത്തിനകം സാധനങ്ങളെ വിതരണം ചെയ്ത് ഉറപ്പിക്കേത്താണ്.

കുടുതൽ വിവരങ്ങരം എല്ലാ പ്രവർത്തി ദിവസങ്ങളിലും കല മ്പുഴ അസിസ്ററൻറ് എക്സികുുളീവ് എൻജിനിയർക്ക് (കൃഷി) ഓഫീസിൽ നിന്നും ലഭികുന്നതാണ്.

(கூற முழுபந்	ഉപകരണങ്ങളുടെ വിവരണം	~03H-
(1)	(2)	(3)
1	പ്രാപ്പർ (മെപ്നാപ്പിടം, മാങ്ങ, ഓറഞ്ച" എന്നിവയ്ക്ക്) 5 എച്ച് പി. 1440 ആർ.പി എം. 3 പേയ്സ് മോട്ടോർ (ഹെവി ടൈപ്പ്) നോൺ കോറാസ്വ് എസ്.എസ്. 304, 216, 202് എന്നിവ കൊണ്ട് നിർമ്മിച്ചത്, 2 നൈലോൽ ബ്രാമ് എസ്.എസ്. 304-ൽറ 2 റാഡ്. മോട്ടോർ ഉറപ്പിക്കുന്നതിനുള്ള പ്രത്യേക സ്ഥലം ഉയപ്പെടെ	L
2	ഫില്ലർ പ്രൂഫ് (എഫ്, പി.) സെമി ഓട്ടോമാററിക് കാപ് സിലിംഗ് മെഷീൻ	1
3	ഇലക്ട്രോണിക് ബാലത്സ് (ലബോറട്ടറി ടൈപ്പ്ര്) ഉയർന്ന കൃതൃത യുളളത്.	1.
4	സ"റെയിൻലസ് സ്ററീൽ കണ്ടയി നേഴ"സ് (200 ലിറാർ)	5
5	എസ്", എസ്", കണ്ടയിനർ (50 ലി.)	8
6	റി(ഫാക"റേറാ മീററർ (0.5%) ലെനർ കവറോടു കൂടിയത്.	1
7	വർക്കിങ് ടേബിയ (120×90 സെ. മീ.) 20 ഗേജ് എസ്. എസ്. കൊണ്ട് നിർമ്മിച്ചത്	4
8	സ"ററീം ജാക്കാറഡ" കെറിൽ ശേഷി 75 ലിറാർ (ടിൽടിംഗ് ടൈപ്പ്) എസ്.എസ്. 304 3 എം.എം. ഷീററ് കൊണ്ട് നിർമ്മിച്ചത് എല്ലാ സുരക്ഷിത വാഠംവുകളും ഉടപ്പെടെ	3
9	സിട്രസ് ഫ്രൂട്ട് ജൂസര് (2 ഹെഡ് 0.5 എച്ച്". പി. ഇലക്ട്രിക് മോട്രോർ എന്നിവ ഉരുപ്പോട്) എല്ലാ ഭാഗങ്ങളും എസ്. എസ്. കൊണ്ട് നിർമ്മിച്ചത്.	1
10	പി. എച്ച". മീറാർ (ലബോംളറി ടൈപ്പ്")	1
11	ജൂസ് എക°സ്ട്രാക്ടർ (ഹെവി ടൈല്ല്) പയവിംഗ് മെബിൻ എസ്. എസ്. സ്ക്രൂസ്, 2 എച്ച്.പി. മോട്ടോർ ഉയപ്പെടെ	1
12	ഹാഫീംഗ° മെഷീൻ (ി എച്ച°് പി. × 2 ഇലക"ട്രിക" മോട്ടോർ) എല്ലാ ഭാഗങ്ങളും എസ്. എസ്. കൊണ്ട് നിർമ്മിച്ചത്.	1
13	ബൈഡ്രോളിക" പ്രസ [ം] 25 ടൺ കുവാസിററിയുളളത [ം] .	İ
14	എസ [ം] . എസ്. ഹോളോ വഞ്ച് (പുറം ഭാഗം മുറിക്കുന്നതിന്) 301 നമ്പട 1 (വലുത ^o)-ന് യോജീച്ചത്	4
15	എസ്. എസ് ഹോളോ പഞ്ച° (പുറം ഭാഗം മുറികുന്നതിന്') 307 എ 2 വലില്ല	1

(1)	(2)	(3)
16	എസ", എസ", ഹോളോ പഞ്ച" (പുറം ഓഗം മുറിക്കുന്നതിന") 401 എ 21 വലിപ്പം	TA.
17	ഹാന്റെ കോർ പഞ്ചു. 1 വിവഗം	- 1
18	സ് ററിറർ (പോർട്ടബിയ രാടപ്പ്) 0.25 എച്, പി. മോട്ടറോടുകൂടിയത്	1

Special Terms and Conditions

 Rates quoted should be for supplying and fixing the machineries and equipments at "Orange and Vegetable Farm", Nelliampathy.

The rates should be inclusive of all taxes, ceses etc. which are or may become payable the supplier under existing or future laws or rules of the country of origins or supply during the course of execution of content.

The rate quoted should till 31-3-2008 for acceptance and when once it is accepted it shall not be subjected to increase at any time till the contet is completed.

Make of machinery and equipment should be clearly stated against each items.

D' form will be issued at the time of

delivery of article.

Since machineries and equipments are for establishing a single fruit processing unit and most of them are related and other, tenders quoted all items will be preferred.

7. Clearly stated the ISI Certification for machinery and equipment if any, and copies

- of such certificate should be attached. The tenders should furnished detailed specification of item quoted and leaflets showing the constructional features and performance at
- 9. The tenders should furnish documentary evidence of his reputation in the field of supplying and fixing machineries and equipments for supplies executed by him during the last two years or no with addresses of parties to when supply effected.
- The successful tenders should guarantee for 10. the satisfactory performance of machinery and equipments for a period of 2 years.
- The tenders should have adequate after sale service for prompt repair and servicing of equipment/machinery supplied. Their arrangement also should be sanctioned to give after sale service.
- The EMD of 1% of the total cost of articles 12. tendered be furnished along with each tender. The EMD furnished along with each tender shall be in form given below.
 - (a) Crossed Bank Drafts. (b) Treasury Savings

Government Promissory Notes.

(d) Fixed deposits with Nationalized/

Scheduled bank in the name of Assistant Executive Engineer (Agri.) Malampuzha or in the name of depositor with due endorsment their in to Assistant Executive Engineer (Agri.) Malampuzha will also be accepted provided the period is not less than six months.

- 13. The successful tenders will have to execute an agreement in Kerali Stamp Paper worth Rs. 50 in the prescribed of 5% of the total value of contract.
- The Assistant Executive Engineer (Agri.), 14. Malampuzha reserves the right to cancel contract at every time during the time of contract without giving notice or assigning reasons.
- 15. Payment up to 50 % can be made after satisfictory supplying the machinery and equipment. Final payment will be in de after install tion and commissioning of the machinery and equipment. In case of unavoidable belated payment no calim from the supplier for any interest will be entertained by the department.
- Supply and installation should be completed within 2 months of receipt of firm supply order.

Malampuzha.

(Sd.) Assistant Executive Engineer (Agri.) .